('>papaki HELP

Knowledgebase > Plesk > Γενικά > Πώς μπορώ να εξαιρέσω κανόνα του Mod_Security ;

Πώς μπορώ να εξαιρέσω κανόνα του Mod_Security ; - 2021-05-25 - Γενικά

Σε περίπτωση που το site σας εμφανίζει 403 Forbidden, αυτό σημαίνει πως το Mod_security κόβει αιτήματα που τα θεωρεί κακόβουλα.

To Mod_security (Web Application Firewall) είναι το firewall σε επίπεδο cms όπως το wordpress ή το Joomla. Εξετάζει τα αιτήματα (requests) που γίνονται στον server και το κατηγοριοποιεί ως κακόβουλα ή όχι. Μέσα από τα error logs του PLesk, καταγράφεται ο κανόνας όπως και το id του. Το σφάλμα θα είναι της παρακάτω μορφής :

 $\label{eq:linear} \label{eq:linear} \label{eq:$

Το Plesk, δίνει τη δυνατότητα να προσθέσετε στις εξαιρέσεις τον κανόνα μέσω του Web Application Firewall Για να προσθέσετε ένα κανόνα (id), μέσα στο Web Application Firewall, ακολουθείστε τις οδηγίες που περιγράφονται παρακάτω :

1. Συνδεθείτε στο **Plesk** με τα στοιχεία πρόσβασης σας.

×		
	Plesk web host edition	
	. –	
	Username	
	Password	
	Interface language	
	Default •	
	Forgot your password?	
	Log in	

2. Στην καρτέλα Websites & Domains, επιλέξτε Web Application Firewall.

×						
● Active ∨						
Website at httpdocs/ IP address: 185.138.42.68(v4), 2a02:c500:1:11d::1(v6) System user: Hosting Settings Open in web Preview Description						
Start creating your website in one of the following ways:						
WordPress	Use Presence Builder	Install an Application	Create a Custom Website			
Create your website using WordPress.	Create your site using our professional website builder.	Create your site by installing a web app, such as Joomla or Drupal.	Upload your web content and add databases.			
Install WordPress	Create Site	Install Apps	Files Databases			
Reb Hosting Access	FTP Access	🏮 Hostin	g Settings			
PHP Composer	SSL/TLS Certificates Not Secured	🚯 Git				
PHP Settings (v7.2.28)	Node.js	🖉 Ruby				
😭 Apache & nginx Settings	🔀 Presence Builder	🔅 Applica	ations			
File Manager	🙀 Mail Importing	👰 Websit	e Importing			
P DNS Settings	Mail Accounts	Mail Se	ettings			
Limit Outgoing Messages	Web Application Firewa	all 🛜 Passwo	ord-Protected Directories			

3. Στο πεδίο Security rules IDs (στην κατηγορία Switch Off Security rules), δηλώστε το Id που θα δείτε στο error log (όπως στο παραπάνω παράδειγμα), επιλέξτε Apply και Oκ.

×

Home > Domains >

Web Application Firewall for

Here you can configure the web application firewall (ModSecurity).

Web application firewall mode Off

Incoming HTTP requests and related responses are not checked.

O Detection only

Each incoming HTTP request and the related response are checked against a set of rules. If the check succeeds, the HTTP request is passed to web site content. If the check fails, the event is logged, no other actions are performed.

On

Each incoming HTTP request and the related response are checked against a set of rules. If the check succeeds, the HTTP request is passed to web site content. If the check fails, the event is logged, a notification is sent, and the HTTP response is provided with an error code.

Error log

A website can stop functioning as expected after you change the web application firewall mode to On from Off or Dete rules or adjust the website.

Error Log File

Switch off security rules

Here you can switch off security rules. It is handy if you find out that a security rule is too restrictive for some websites. expressions used in rule messages (for example, XSS).

Security rule IDs	211210		
Tags	Active:		
\mathbf{X}		Q,	
\sim	Agents	^	
\sim	AppsInitialization		Click the objects
\sim	Backdoor		or use checkboxes
\backslash	Bruteforce		
	CWAF		
	Romains	•	
Regular expression in rule messages			
* Required fields	OK Apply Cancel		

ΠΡΟΣΟΧΗ : Σε περίπτωση που υπάρχουν παραπάνω από μία εξαιρέσεις, προσθέτετε το ID το ένα κάτω από το άλλο και όχι το ένα δίπλα στο άλλο.