

Knowledgebase > Plesk > Databases > Πώς βρίσκω την έκδοση της Mysql που χρησιμοποιώ μέσα από το Plesk;

Πώς βρίσκω την έκδοση της Mysql που χρησιμοποιώ μέσα από το Plesk;

- 2023-02-05 - Databases

Για να βρείτε την έκδοση της Mysql σας, μπορείτε να ακολουθήστε τα παρακάτω βήματα.

1. Συνδεθείτε στο **Plesk**, με τα στοιχεία πρόσβασης σας.

| plesk web host edition | © ~ |
|--------------------------------------|-----|
| | |
| Username | |
| admin | |
| Password | |
| •••••• | Ø |
| | |
| Log in | |
| ⑦ What username and password to use? | |
| A Forgot your password? | |
| Cookies policy in Plesk | |
| | |
| | |
| | |

2. Επιλέξτε **Databases.**

| Domain name 🕇 | | Status | Туре | |
|---|--|------------|-----------|-----------------|
| example.com | | • Active ~ | Website | ĽŶ₿₩ : |
| Copen in web Disk Usage 0.2 MB Traffic 0 MB/month | Dashboard Hosting & DNS Mail Files & Databases S Connection Info for FIP, Database File Manager Databases FIP Access FIP Access Backup & Restore Scurity SSL/LIS Certificates Domain not secured Password-Protected Directories P assword-Protected Directories ImunifyAV Webase is clean Web Application Firewall S Advisor | | Dev Tools | |
| Website at httpdocs IP address 136.243.22 | 5.18 System user example.com_hakimxw01bw | | | Add description |

 Επιλέξτε το phpMyAdmin της βάσης που επιθυμείτε να δείτε την έκδοση της βάσης σας. Προσοχή - Βεβαιωθείτε πως ο browser που χρησιμοποιείτε, δεν αποκλείει αναδυόμενα παράθυρα.

| Databases > | | | | |
|---------------------------|--|--------------------|-------------|------------------|
| Databases f | or example.com | | | |
| Here you can create new o | manage existing databases. | | | 0 |
| 🕂 Add Database | | | J. | Oser Management |
| a ovamplo dh | Assign this database to a site | | nhoMvAdmin | Database servers |
| 🧯 example_ub | respirants database to parte | | priprigramm | E Backup Manager |
| Host: localhost:3306 (M | riaDB) Users: example_user Tables: 0 Size: 0 B | | | |
| | A Show Less | | | |
| i phpMyAdmin | Connection Info | 📄 Сору | | |
| S Export Dump | (1) Import Dump | 📀 Check and Repair | | |
| Remove Database | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

4. Επιλέξτε το **SQL**, γράψτε την παρακάτω εντολή **SHOW VARIABLES LIKE** "%version%"; και κάνετε click στο **GO**.

| . 🗐 Server: loo | alhost:3306 » 🍵 Databas | | | | | | | | | | | ☆ ⊼ |
|-----------------|---------------------------|----------------|-----------------|------------|-------------------|-------------------|----------|-------------|----------|--------------|-----------------|------------|
| K Structure | 📄 SQL 🧠 Search | Query | 🛃 Export | 🖶 Import | 🥜 Operations | Routines | 🕙 Events | 36 Triggers | Tracking | ର୍ଭ Designer | Central columns | |
| Run SQL quer | y/queries on database exa | mple_db: 👦 | | | | | | | | | | |
| 1 SHOW | VARIABLES LIKE "%ver | sion%"; ▲ | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | ĥ |
| Clear Fo | Get auto-saved qu | uery | | | | | | | | | | |
| Bookmark this | SQL query: | | | | | | | | | | | |
| Delimiter ; | Show this query he | ere again 🗌 Re | etain query box | Rollback v | vhen finished 🛛 🗹 | nable foreign key | checks | | | | | Go |

5. Παρακάτω εμφανίζεται η έκδοση της Mysql σας.

| Show query box | |
|---------------------------|---------------------------|
| Your SQL query has been | executed successfully. |
| SHOW VARIABLES LIKE | "%version%"; |
| Profiling [Edit inline] | [Edit] [Create PHP cod |
| + Options | |
| Variable_name | Value |
| innodb_version | 5.5.61-MariaDB-38.13 |
| protocol_version | 10 |
| slave_type_conversions | |
| version | 5.5.68-MariaDB |
| version_comment | MariaDB Server |
| version_compile_machine | x86_64 |
| version compile os | Linux |
| version_complic_os | |
| | _ |